


HP LaserJet 3100
Printer/Fax/Copier/Scanner

09/827,775

Appendix A

Duplicate Transmission 4/12/04

CONFIRMATION REPORT for
Crawford PLLC
1686 7111
4-12-04 12:08PM



| Job | Start Time | Usage | Phone Number or ID | Type | Pages | Mode | Status |
|-----|--------------|-------|--------------------|-----------|-------|-------|----------------|
| 143 | 4/12 12:04PM | 4'39" | USPTO | Send..... | 19/19 | EC144 | Completed..... |

Total 4'39" Pages Sent: 19 Pages Printed: 0

URGENT
Duplicate Entry

CRAWFORD MAUNU PLLC
Attorneys at Law
1270 Northland Drive, Suite 390
St. Paul, Minnesota 55120
651-686-6633 • fax 651-686-7111

FACSIMILE

DATE: April 12, 2004 SERIAL NO: 09/827,775
TO: Examiner Bockelman FROM: Mark Hollingsworth/
ksw
FAX NO.: (now) 703 746-4868 DOCUMENTS: DUPLICATE
AMENDMENT
filed by facsimile on
1/5/2004, to
PTO official fax no.
703-872-9306.

NO. OF PAGES
(w/ cover sheet):

19

DOCKET REF: (USD.0061US01
(1275.6US01)

Thank you Examiner Bockelman, for bringing to our attention that a response to Official Action 10/3/03 remains unentered in the U.S. Patent Office database records, in the above-referenced patent application serial no. 09/827,775.

Attached please find said Response and Amendment filed on January 5, 2004, with USPTO facsimile receipt confirmation.

NOTICE OF CONFIDENTIALITY AND
ATTORNEY-CLIENT PRIVILEGED/WORK PRODUCT INFORMATION

This memorandum and the transmission it accompanies contain confidential information. The attorney-client privilege and the attorney work-product doctrines may protect this confidential information. This confidential information is to be reviewed only by the addressee identified above. If you have received this transmission in error, you are instructed to destroy all pages immediately and to call the sender at the telephone number indicated above.

RECEIVED
MAY 18 2004
TECHNOLOGY CENTER R3700